

KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

8.0 REFERENCES

8.1 LITERATURE CITED

Aalund, H., and R.E. Wicklund. 1950. Soil survey report of Southeastern New Brunswick. Dominion Department of Agriculture. Third Report of the New Brunswick Soil Survey.

AC CDC (Atlantic Canada Conservation Data Centre). 2017a. Understanding Ranks. Available at: <http://accdc.com/en/rank-definitions.html>. Last accessed: July 27, 2017.

AC CDC. 2017b. Data Report 5872: Turtle Creek, NB. Prepared July 10, 2017.

Albert County. 2002. History of Albert Co. Municipal website. <http://members.tripod.com/~albertnb/albhist.htm>. Accessed March 8, 2007.

ACHS (Albert County Historical Society). n.d. Albert County Heritage. Online exhibit on the Virtual Museum of Canada page: http://www.virtualmuseum.ca/sgc-cms/histoires_de_chez_nous-community_memories/pm_v2.php?id=exhibit_home&fl=0&lg=English&ex=00000550. Last accessed May 17, 2017.

AWWI (American Wind Wildlife Institute). 2016. Wind turbine interactions with wildlife and their habitats: a summary of research results and priority questions. Accessed: November 2016. Available at: <https://awwi.org/resources/summary-of-wind-wildlife-interactions-2/#section-summary-of-windwildlife-interactions>

APLIC (Avian Power Line Interaction Committee) 2012. Reducing Avian Collisions with Power Lines: The State of the Art in 2012. Edison Electric Institute and APLIC. Washington, D.C.

Arnett, E.B., W. K. Brown, W.P. Erickson, J.K. Fiedler, B.L. Hamilton, T.H. Henry, A. Jain, G.D. Johnson, J. Kerns, R.R. Koford, C.P. Nicholson, T.J. O'Connell, M.D. Piorkowski, and R.D. Tankersley JR. 2008. Patterns of Bat Fatalities at Wind Energy Facilities in North America. *Journal of Wildlife Management* 72(1):61-78. 2008.

Arnett, E. B., and E. F. Baerwald. 2013. Impacts of wind energy development on bats: implications for conservation. Pages 435-456 in R. A. Adams and S. C. Pederson, editors. *Bat Ecology, Evolution and Conservation*. Springer Science Press, New York, USA.

Arnett, E.B., D.B. Inkley, D.H. Johnson, R.P. Larkin, S. Manes, A.M. Manville, R. Mason, M. Morrison, M.D. Strickland, and R. Thresher. 2007. Impacts of Wind Energy Facilities on Wildlife and Wildlife Habitat. Issue 2007-2. *The Wildlife Society*, Bethesda, Maryland.

Barr, S.M., C.E. White and C. St. Peter. 2004. Geology of the Kent Hills area (NTS 21 H/15d), Albert County, New Brunswick. New Brunswick Department of Natural Resources, Minerals, Policy and Planning Division, Plate 2004-137. Scale 1:20 000.

KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

- Bayne, E.M., L. Habib and S. Boutin. 2008. Impacts of chronic anthropogenic noise from energy-sector activity on abundance of songbirds in the boreal forest. *Conservation Biology* 22: 1186-1193.
- Black, D.W., E.L. Atkinson, and D. Kane. 2008. The Cape Enrage Figurine (BjDe-5): An Unusual Mobiliary Art Object Found in New Brunswick. Ms. On file at the Archaeology Lab, Department of Anthropology, University of New Brunswick, Fredericton.
- Bock, P.K. 1978. Micmac. IN: *Handbook of North American Indians*, Vol. 15 – Northeast, volume ed. B. Trigger, general ed. W.C. Sturtevant. Smithsonian Institution, Washington, pp. 109–122.
- Bonnichsen, R., D. Keenlyside and K. Turnmire. 1991. Paleoindian Patterns in Maine and the Maritimes. IN: *Prehistoric Archaeology in the Maritime Provinces: Past & Present Research*, eds. M. Deal and S. Blair, Reports in Archaeology No. 8, The Council of Maritime Premiers, Maritime Committee on Archaeological Cooperation, pp. 1–28.
- Brinkmann, R., H. Shauer-Weissahn, and F. Bontadin. 2006. Survey of Possible operation impacts on bats by wind facilities in southern Germany. Administrative district of Freiburg- Departement 56 conservation and Landscape Management.
- Brumm, H. 2004. The impact of environmental noise on song amplitude in a territorial bird. *Journal of Animal Ecology* 73: 434-440.
- BSC, Canadian Wind Energy Association, Environment Canada and Ontario Ministry of Natural Resources. 2016. Wind Energy Bird and Bat Monitoring Database: Summary of the Findings from Post-construction Monitoring Reports. July 2016. Available at: http://www.birdscanada.org/resources/wind/Jul2016_Wind_database_summary.pdf Accessed: July 2017.
- CCME (Canadian Council of Ministers of the Environment). 1999. Canadian Environmental Quality Guidelines – Water Quality Guidelines for the Protection of Aquatic Life. Updated 2015.
- Canadian Real Estate Association. 2017. Housing Market Stats -Greater Moncton. Retrieved from: <http://creastats.crea.ca/monc/>
- CRHP (Canadian Register of Historic Places). 2017. Available Online: http://www.historicplaces.ca/rep-reg/rep-reg_e.aspx. Accessed March 2007.
- CANWEA (Canadian Wind Energy Association). 2013. Wind Facts – Property Values. Available at: <http://canwea.ca/wp-content/uploads/2013/12/canwea-factsheet-property-e-web.pdf>.
- Cornell Lab of Ornithology. 2017. All About Birds. Available online: <http://www.allaboutbirds.org/Page.aspx?pid=1189>. Date updated: 2017. Date accessed: July 29, 2017.
- COSEWIC (Committee for the Status of Endangered Wildlife in Canada). 2006a. COSEWIC Assessment and Update Status Report on the Atlantic salmon *Salmo salar* (Inner Bay of Fundy populations) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. Viii+45pp.



KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

- COSEWIC. 2006b. COSEWIC assessment and status report on the Gaspé shrew *Sorex gaspensis* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2006c. COSEWIC assessment and status report on the Rusty Blackbird *Euphagus carolinus* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2007a. COSEWIC assessment and status report on the Common Nighthawk *Chordeiles minor* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2007b. COSEWIC assessment and status report on the Olive-sided Flycatcher *Contopus cooperi* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2007c. COSEWIC assessment and status report on the Peregrine Falcon *Falco peregrinus* (*pealei* subspecies – *Falco peregrinus* and *pealei anatum/tundrius* – *Falco peregrinus anatum/tundrius*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2007d. COSEWIC assessment and status report on the Wood Turtle *Glyptemys insculpta* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2008b. COSEWIC assessment and status report on the Snapping Turtle *Chelydra serpentina* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2008b. COSEWIC assessment and status report on the Canada Warbler *Wilsonia canadensis* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2009. COSEWIC assessment and status report on the Whip-poor-will *Caprimulgus vociferous* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2010a. COSEWIC assessment and status report on the Bobolink *Dolichonyx oryzivorus* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2010b. COSEWIC assessment and status report on the Monarch *Danaus plexippus* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2011. COSEWIC assessment and status report on the Barn Swallow *Hirundo rustica* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2012a. COSEWIC assessment and status report on the Eastern Wood-pewee, *Contopus virens*, in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.
- COSEWIC. 2012b. COSEWIC assessment and status report on the Wood Thrush *Hylocichla mustelina* in Canada. [Committee on the Status of Endangered Wildlife in Canada](#). Ottawa.
- COSEWIC. 2013a. COSEWIC assessment and status report on the Bank Swallow *Riparia riparia* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa.

KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

- COSEWIC. 2013b. COSEWIC assessment and status report on the Little Brown Myotis *Myotis lucifugus*, Northern Myotis *Myotis septentrionalis* and Tri-colored Bat *Perimyotis subflavus* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa
- Crawford, R.L., and R.T. Engstrom. 2001. Characteristics of avian mortality at a north Florida television tower: a 28-year experience. Tall Timbers Research Station, Tallahassee, Florida.
- Crockford 1992 – in Kingsley and Whitham 2007?
- Cryan, P.M. and R.M.R. Barclay. 2009. Causes of bat fatalities at wind turbines: hypotheses and predictions. *Journal of Mammalogy* 90: 1330-1340.
- DFO (Fisheries and Oceans Canada). 2008. Recovery Potential Assessment for Inner Bay of Fundy Atlantic salmon. DFO Canadian Science Advisory Secretariat Science Advisory Report. 2008/050.
- Devereux, C.L., M.J.H. Denny and M.J. Whittingham. 2008. Minimal effects of wind turbines on the distribution of wintering farmland birds. *Journal of Applied Ecology* 45:1689-1694.
- Dunn, E. H. 1993. Bird mortality from striking residential windows in winter. *Journal of Field Ornithology* 64(3): 302-309.
- ECCC (Environment and Climate Change Canada). 2017a. North American Breeding Bird Survey. Available at: <https://ec.gc.ca/reom-mbs/default.asp?lang=En&n=F30B83B2-1> Last Updated: 2017-06-21
- ECCC. 2017b. National Inventory Report 1990-2015: Greenhouse Gas Sources and Sinks in Canada - Executive Summary. <https://www.ec.gc.ca/ges-ghg/default.asp?lang=En&n=662F9C56-1#es-5> Last updated: 2017-04-13
- ECCC. 2017c. Environment Canada and Climate Change National Inventory Report 1990-2015: Greenhouse Gas Sources and Sinks in Canada Part 3. Available at: http://unfccc.int/files/national_reports/annex_i_ghg_inventories/national_inventories_submissions/application/zip/can-2017-nir-13apr17.zip
- Environment Canada. 2004. The Climate of New Brunswick. URL: <http://atlantic-web1.ns.ec.gc.ca/climatecentre/default.asp?lang=En&n=7A6129C7-1>. Last updated 2004-12-23
- Environment Canada. 2006. Narrative Descriptions of Terrestrial Ecozones and Ecoregions of Canada. Available online: <http://www.ec.gc.ca/soer-ree/English/Framework/Nardesc/default.cfm>. Date accessed November 6, 2006.
- Environment Canada. 2007a. Wind Turbines and Birds – A guidance Document for Environmental Assessment. April 2007.

KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

- Environment Canada. 2007b. Recommended protocols for Monitoring Impacts of Wind turbines on Birds. April 2007.
- Erickson, W. 2003. Updated information regarding bird and bat mortality and risk at new generation wind projects in the West and Midwest. Presentation at the National Wind Coordinating Committee meeting, "How Is Biological Significance Determined When Assessing Possible Impacts?", Washington, D.C., November 17-18, 2003.
- Erickson W.P., M.M. Wolfe, K.J. Bay, D.H. Johnson, and J.L. Gehring. 2014. A comprehensive analysis of small-passerine fatalities from collision with turbines at wind energy facilities. PLOS ONE 9: e107491.
- Erickson, V.O. 1978. Maliseet-Passamaquoddy. IN: Handbook of North American Indians, Vol. 15 – Northeast, volume ed. B. Trigger, general ed. W.C. Sturtevant. Smithsonian Institution, Washington, pp. 123–136.
- Erickson, W., G. Johnson, D. Young, D. Strickland, R. Good, M. Bourassa and K. Bay. 2002. Synthesis and Comparison of Baseline Avian and Bat Use, Raptor Nesting and Mortality Information from Proposed and Existing Wind Developments. Report prepared for Bonneville Power Administration, Portland, Oregon. 96pp.
- Erickson, W.P., G.D. Johnson, M.D. Strickland, D.P. Young, Jr., K.J. Sernka and R.E. Good. 2001. Avian collisions with wind turbines: A summary of existing studies and comparisons to other sources of avian collision mortality in the United States. Report prepared for National Wind Coordinating Committee, August 2001.
- FEARO (Federal Environmental Assessment Review Office). 1994. A Reference Guide for the Canadian Environmental Assessment Act – Determining whether a Project is Likely to Cause Significant Adverse Environmental Effects. November 1994.
- Ferguson, Albert. 2004. Guide to Heritage Resource Impact Assessment in New Brunswick. New Brunswick. Manuscripts in Archaeology 35. Archaeological Services, Heritage Branch, Culture and Sport Secretariat, Fredericton.
- FPTCCCEA (The Federal-Provincial-Territorial Committee on Climate Change and Environmental Assessment). 2003. Incorporating Climate Change Considerations in Environmental Assessment: General Guidance for Practitioners. November 2003. Available Online: http://www.ceaa-acee.gc.ca/Content/A/4/1/A41F45C5-1A79-44FA-9091-D251EEE18322/Incorporating_Climate_Change_Considerations_in_Environmental_Assessment.pdf
- Francis, C. D., C. P. Ortega and A. Cruz. 2009. Noise pollution changes avian communities and species interactions. Current Biology 19: 1415-1419.
- Francis, C.D. and J.R. Barber. 2013. A framework for understanding noise impacts on wildlife: An urgent conservation priority. Frontiers in Ecology and the Environment 11: 305-313.

KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

- Ganong, W.F. 1899. A Monograph of Historic Sites in the Province of New Brunswick. Contributions to the History of New Brunswick No. 4, Transactions of the Royal Society of Canada Second Series – 1899-1900, Volume V, Section II. Ottawa.
- Gill, J.P., M. Townsley, and G.P. Mudge. 1996. Review of the impacts of wind farms and other aerial structures upon birds. Scottish Natural Heritage Review. No. 21.
- Gipe, P. 1995. Wind Energy Comes of Age. John Wiley and Sons; New York.
- Government of Canada. 2010. Parks Canada Agency – Species At Risk Act. Canada Gazette Part I. July 26, 2010.
- Habib, L., E.M. Bayne and S. Boutin. 2007. Chronic industrial noise affects pairing success and age structure of ovenbirds *Seiurus aurocapilla*. Journal of Applied Ecology 44: 176-184.
- Health Canada. 2017. Guidelines for Canadian Drinking Water Quality – Summary Table. Water and Air Quality Bureau, Healthy Environments and Consumer Safety Branch, Health Canada, Ottawa, Ontario.
- Hein C.D., J. Gruver, and E.B. Arnett. 2013. Relating pre-construction bat activity and post-construction bat fatality to predict risk at wind energy facilities: a synthesis. A report for National Renewable Energy Laboratory. Bat Conservation International, Austin, TX, USA. 22 pp.
- Helldin, J.O., J. Jung, W. Neumann, M. Olsson, A. Skarin and F. Widemo. 2012. The Impacts of Wind Power on Terrestrial Mammals - A Synthesis. Available online: <http://naturvardsverket.se/Documents/publikationer6400/978-91-620-6510-2.pdf>
- Hepburn, H. G. 2005. Acoustic and geophysical measurement of infrasound from turbines at a wind farm. Proceedings of the Spring Conference on Environmental and Occupational Noise. Banff, Alberta, Canada. 23-26 May 2005. Pp 584-614.
- Hinds, H.R. 2000. Flora of New Brunswick (Second Edition). Biology Department, UNB, Fredericton, NB.
- Hoen, B., Brown, J.P., Jackson, T., Wisner, R., Thayer, M. and P. Cappers. 2013. A Spatial Hedonic Analysis of the Effects of Wind Energy Facilities on Surrounding Property Values in the United States. Ernest Orlando Lawrence Berkeley National Laboratory, Environmental Energy Technologies Division. Retrieved from <http://emp.lbl.gov/sites/all/files/lbni-6362e.pdf>
- Horn, J.W, E.B. Arnett and T.H. Kunz. 2008. Behavioral responses of bats to operating wind turbines. Journal of Wildlife Management 72: 123-132.
- Institute of Environmental Management and Assessment. 2002. "Guidelines for Landscape and Visual Impact Assessment". The Landscape Institute. 1st Edition.
- Jacques Whitford Limited. 2007a. EIA Report - Kent Hills Wind Farm Environmental Assessment. Report to TransAlta Wind. June 5, 2007.

KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

- Jacques Whitford. 2007b. Final Report – Kent Hills Wind Farm. Report prepared for Archaeological Services Unit. Project No. 1023052. AFRL No. 2007NB19
- Jacques Whitford. 2008a. Final Report – Archaeological Assessment of the Proposed Kent Hills Wind Farm Transmission Line. Report prepared for Archaeological Services Unit. Project No. 1024884. AFRL No. 2008NB8
- Jacques Whitford. 2008b. Final Report – Archaeological Assessment of the Kent Hills Wind Farm Expansion. Report prepared for Archaeological Services Unit. Project No. 1043058.01 AFRL No. 2008NB49
- James, R.D. 2003. Bird observations at the Pickering wind turbine. *Ontario Birds* 21: 84-97.
- James, R.D., and G.Coady. 2003. Exhibition Place Wind Turbine Bird Monitoring Program in 2003. Report to Toronto Hydro Energy Services Inc. and Windshare, December 2003.
- Johnson, G.D., W.P. Erickson, M.D. Strickland, M.F. Shepherd and D.A. Shepherd. 2000. Avian Monitoring Studies at the Buffalo Ridge Wind Resource Area, Minnesota: Results of a 4-year study. Technical report prepared for Northern States Power Co., Minneapolis, MN. 212pp.
- Jones, J. and C.M Francis. 2003. The effects of light characteristics on avian mortality at lighthouses. *Journal of Avian Biology* 34 (4), 328–333.
- Kerlinger, P. 2000. Avian mortality at communication towers: a review of recent literature, research and methodology. Prepared for the U.S. Fish and Wildlife Service, Office of Migratory Bird Management.
- Kerns, J. and P. Kerlinger. 2004. A Study of Bird and Bat Collision Fatalities at the Mountaineer Wind Energy Center, Tucker County, West Virginia: annual Report for 2003. 2003 WEC Mountaineer WEC Annual Rpt.-Avian and Bat Fatalities. February 14, 2004.
- Kingsley, A. and B. Whittam. 2005. Wind Turbines and Birds: A Background Review for Environmental Assessment. Draft report for Environment Canada, Canadian Wildlife Service, Quebec. 81 pp. Available at: http://www.energy.ca.gov/windguidelines/documents/other_guidelines/2006-05-12_BCKGRD_ENVIRMTL_ASSMNT.PDF . Accessed: November 2014.
- Kingsley, A., and B.Whittam. 2007. Wind Turbines and Birds: A Background Review for Environmental Assessment. Draft. Document prepared by Bird Studies Canada for Canadian Wildlife Service, Environment Canada, April 2007.
- Leddy, K.L., K.F. Higgins and D.E. Naugle. 1999. Effects of wind turbines on upland nesting birds in conservation reserve program grasslands. *Wilson Bulletin* 111: 100-104.
- Lorch, J. M., C.U. Meteyer, M.J. Behr, J.G. Boyles, P.M. Cryan, A.C. Hicks, A.E. Ballman, J.T.H. Coleman, D.N. Redell, D.M. Reeder and D.S. Blehert. 2011. Experimental infection of bats with *Geomyces destructans* causes white-nose syndrome. *Nature* 480: 376-378.

KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

- MacDonald, G.F. 1968. Debert: A Palaeo-Indian Site in Central Nova Scotia. National Museum of Canada, Anthropology Papers, 16. Ottawa, Department of the Secretary of State, 207 pp., appendix, 26 figures (6 foldout), literature cited, 24 plates (31 photographs).
- Millikin, R.L. 2005. Phase 3 Final Report for the Wind Consortium. Report prepared for Suncor Energy Products Inc., Vision Quest Windelectric, Canadian Hydro Developers Inc., Enbridge Wind Power Canada Inc., and Natural Resources Canada.
- MPAC (Municipal Property Assessment Corporation). 2017. Impact of Industrial Wind Turbines on Residential Property Assessment in Ontario - 2016 Assessment Base Year Study. Available: <https://www.mpac.ca/sites/default/files/imce/pdf/WindTurbinesResidentialProperties.pdf>
- National Institute of Environmental Health Sciences. 2002. EMF – Electric and Magnetic Fields Associated with the Use of Electric Power. Questions and Answers. Prepared for the NIEHS/DOE EMF RAPID Program, June 2002.
- NatureNB. 2017. NatureNB Listserv Archives. <https://listserv.unb.ca/cgi-bin/wa?A2=ind0804C&L=NATURENB&F=&S=&P=56> Last accessed: August 9, 2017.
- NBDELG (New Brunswick Department of Environment and Local Government). 2017a. New Brunswick Online Well Log System. Available online: <http://app.elg-egl.gnb.ca/0375-0001/>. June 2017.
- NBDELG. 2017b. Registrations and Determinations. New Brunswick Department of Environment and Local Government. Available Online: http://www2.gnb.ca/content/gnb/en/departments/elg/environment/content/environmental_impactassessment/registrations.html Accessed June 8, 2017.
- NBDELG. 2012. A Guide to Environmental Impact Assessment in New Brunswick. Available online: <http://www2.gnb.ca/content/dam/gnb/Departments/env/pdf/EIA-EIE/GuideEnvironmentalImpactAssessment.pdf>. April 2012.
- NBDELG. n.d. Additional Information Requirements for Wind Turbines. Available Online: <http://www2.gnb.ca/content/dam/gnb/Departments/env/pdf/EIA-EIE/SectorGuidelines/WindTurbines.pdf>
- NBDERD (New Brunswick Department of Energy and Resource Development). 2017. Wilson Brook (Ecological Reserve). Available online at http://www2.gnb.ca/content/gnb/en/departments/erd/natural_resources/content/ForestsCrownLands/content/ProtectedNaturalAreas/Class1/WilsonBrook.html. Date accessed July 13, 2017.
- NBDNR (New Brunswick Department of Natural Resources). 2007. Our Landscape Heritage: The Story of Ecological Land Classification. Prepared by New Brunswick Department of Natural Resources, The Ecosystem Classification Working Group. Vincent F. Zelazny, General Editor. 2nd Edition. Originally issued 2003. ISBN 978-1-55396-203-8 in New Brunswick.

KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

- NBDNR. 2009. Bats Pre-construction Survey Guidelines for Wind Farm Project Proposals for New Brunswick.
- NBDNR. 2012. Allocation of Crown Lands for Wind Power Projects Policy. Available Online: <http://www2.gnb.ca/content/dam/gnb/Departments/nr-m/pdf/en/Publications/CLM0172005.pdf> Accessed June 15, 2017.
- NBDNRE (New Brunswick Department of Natural Resources and Environment). 2000. Bedrock Geology Map of New Brunswick. Minerals and Energy Division. Map NR-1 (2000 edition). 1:500 000.
- NBRHP. (New Brunswick Register of Historic Places). 2017. New Brunswick Register of Historic Places Available at: <https://www.rhp-rlp.gnb.ca/PublicSearch.aspx?blnLanguageEnglish=True>
- New Brunswick Forestry. 2007. New Brunswick Forestry at a Glance. Information Pamphlet. Available Online: [http://www.nbforestry.com/downloads/ForestryataGlance\(E\).pdf](http://www.nbforestry.com/downloads/ForestryataGlance(E).pdf). Accessed March 9, 2007 (NLA).
- NBPA (New Brunswick Provincial Archives). 2017. Place Names of New Brunswick - Where is Home? New Brunswick Communities Past and Present. Online exhibit: <http://archives.gnb.ca/Exhibits/Communities/Home.aspx?culture=en-CA>. Last accessed May 9, 2017.
- Niemuth, N.D., J.A. Walker, J.S. Gleason, C.R. Loesch, R.E. Reynolds, S.E. Stephens and M.A. Erickson. 2013. Influence of wind turbines on presence of willet, marbled godwit, Wilson's phalarope and black tern on wetlands in the Prairie Pothole Region of North Dakota and South Dakota. *Waterbirds* 36: 263-276.
- NRCAN (Natural Resources Canada). 2003. Environmental Impact Statement Guidelines for Screenings of Inland Wind Farms under the Canadian Environmental Assessment Act .
- NRCAN. 2016a. Earthquake Magnitude Scales. Available Online: <http://www.earthquakescanada.nrcan.gc.ca/info-gen/scales-echelles/magnitude-en.php> Updated: 2016-02-10.
- NRCAN. 2016b. Double-Earthquake of Miramichi, New Brunswick, in 1982. Available Online: <http://www.earthquakescanada.nrcan.gc.ca/historic-historique/events/19820109-en.php> Updated: 2016-02-12.
- NWCC (National Wind Coordinating Collaborative). 2010. Wind Turbine Interactions with Birds, Bats, and their Habitats: A summary of Research Results and Priority Questions. www.nationalwind.org. 8 pp. Spring 2010.
- NWWG (National Wetlands Working Group). 1997. The Canadian Wetland Classification System - Second Edition. Edited by B.G. Warner and C.D.A. Rubec.

KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

- Parks Canada. 2015. Bats – White Nose Syndrome. Summary of Ecological Monitoring, Restoration and Applied Science projects at Fundy National Park, 2015. Prepared by Donald F. McAlpine and Karen J. Vanderwolf, New Brunswick Museum, February 2014. 2 pp.
- Pendlebury, C. 2006. An appraisal of “A review of goose collisions at operating wind farms and estimation of the goose avoidance rate” by Fernley, J., Lowther, S. and Whitfield, P. British Trust for Ornithology (BTO) Research Report No. 455. pp. 33.
- Percival, S. 2005. Birds and Wind Farms, What are the Real Issues? *British Birds* 98: 194-204.
- Percival, S.M. 2001. Assessment of the effects of offshore wind farms on birds. Report ETSU W/13/00565/REP, DTI/Pub URN 01/1434.
- Powlesland, R.G. 2009. Impacts of Wind Farms on Birds: A Review. *Science for Conservation* 289. Department of Conservation, New Zealand, 51 pp.
- Raleigh, R.F. 1982. Habitat suitability index models: Brook trout. U.S. Department of the Interior, Fish and Wildlife Service. FWS/OBS-82/10.24. 42pp.
- Rayburn, A. 1975. Geographical Names of New Brunswick. Survey and Mapping Branch, Department of Energy, Mines, and Resources, Ottawa.
- Read, J., G. Jones and A.N. Radford. 2014. Fitness costs as well as benefits are important when considering responses to anthropogenic noise. *Behavioral Ecology* 25: 4-7.
- Rideout, K., R. Copes and C. Bos. 2010. Wind Turbines and Health. National Collaborating Centre for Environment and Health.
- Rydell, J., H. Engstrom, A. Hedenstrom, J. K. Larsen, J. Petterson, and M. Green. 2012. The effects of wind power on birds and bats: a synthesis. Swedish EPA Report No. 6511. 152 pp.
- Service New Brunswick. 2006. Geographic Data & Maps Section. Digital Terrain Model Database. <http://www.snb.ca/gdam-igec/e/2900e.asp> . Accessed March, 2007.
- Southeast Regional Service Commission. 2014. Ministerial Regulation Amending the Ministerial Regulation for the Greater Moncton Planning Area under the Community Planning Act. Available: <http://www.nbse.ca/media-nbse/board/WA-BLA-13-MON-019-20-b.pdf>
- St. Peter, C., Johnson, S.C., Deblonde, C., and Lynch, G. 1997. Geological Compilation, West Central Nova Scotia, Southeastern New Brunswick, and Western Prince Edward Island. Geological Survey of Canada. Open File 3521. Scale 1:250,000.
- Stanley, J.G., and J.G. Trial. 1995. Habitat Suitability Index Models: Nonmigratory Freshwater Life Stages of Atlantic salmon. U.S. Department of the Interior. Biological Science Report 3.
- Stantec (Stantec Consulting Ltd.). 2010. Kent Hills Wind Farm 2009 Post-Construction Monitoring Program. Final Report to TransAlta Corporation. Project No. 1051020. February 24, 2010.

KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

- Stantec. 2011. Kent Hills Wind Farm 2010 Post-Construction Monitoring Program. Final Report to TransAlta Corporation. Project No. 121810243. January 24, 2011.
- Stantec. 2012. Kent Hills Wind Farm Expansion 2011 Post-Construction Monitoring Program. Report to TransAlta Corporation. Project No. 121810397. March 6, 2012.
- Stantec. 2013. Kent Hills Wind Farm Expansion 2012 (Year 2) Post-Construction Monitoring Program. Final Report. Prepared for TransAlta Corporation. Project No. 121810629. February 7, 2013.
- Statistics Canada. 2017. 2016 Census. Available: <http://www12.statcan.gc.ca/census-recensement/2016/dp-pd/prof/details/page.cfm?Lang=E&Geo1=CSD&Code1=1306008&Geo2=CD&Code2=1306&Data=Count&SearchText=Albert&SearchType=Begins&SearchPR=01&B1=All&GeoLevel=PR&GeoCode=1306&TABID=1>
- Sterzinger, G., F. Beck, and D. Kostiuk. 2003. The Effect of Wind Development on Local Property Values. Report for the Renewable Energy Policy Project. May, 2003.
- St-Hilaire, A., B. Massicotte, A., B. Bobée, T. Ouarda, E. Arseneau, A. Chiasson. 2001. Petitcodiac Watershed Monitoring: Summary of water quality analyses. Report produced by Roche Ltée, Groupe-conseil and INRS-Eau on behalf of the Petitcodiac Watershed Monitoring Group.
- Strickland, D., and W.Erickson. 2003. Overview of non-collision related impacts from wind power projects. Presentation at the National Wind Coordinating Committee meeting, Wildlife Workgroup Strategy Session, Aurora, Colorado, April 23, 2003.
- Strickland, M.D., E.B. Arnett, W.P. Erickson, D.H. Johnson, G.D. Johnson, M.L., Morrison, J.A. Shaffer and W. Warren-Hicks. 2011. Comprehensive Guide to Studying Wind Energy/Wildlife Interactions. Prepared for the National Wind Coordinating Collaborative, Washington, D.C.
- Turnbull, C. and P. Allen. 1978. More Paleo-Indian points from New Brunswick. *Man in the Northeast* 15/16:147-153.
- Vanderwolf, K.J., D.F. McAlpine, G.J. Forbes and D. Malloch. 2012. Bat Populations and Cave Microclimate Prior to and at the Outbreak of White-Nose Syndrome in New Brunswick. *Canadian Field-Naturalist* 126: 125-134.
- Vestas. 2016. Vestas Cold Climate Solutions Brochure. <http://nozebra.ipapercms.dk/Vestas/Communication/Productbrochure/TurbineOptions/VestasColdClimateSolutions/> Accessed July 24, 2017.
- WEA-Schattenwurf-Hinweise. 2002. Hinweise zur Ermittlung und Beurteilung der optischen Immissionen von Windenergieanlagen (Notes on the identification and assessment of the optical pollutions of Wind Turbines)
- World Resources Institute. 2017. CAIT Climate Data Explorer. Available Online: <http://cait.wri.org/historical>



KENT HILLS 3: KENT HILLS WIND FARM EXPANSION PHASE 3

References

Zimmerling, J.R., A.C. Pomeroy, M.V. d'Entremont and C.M. Francis. 2013. Canadian estimate of bird mortality due to collisions and direct habitat loss associated with wind turbine developments. *Avian Conservation and Ecology* 8: 10.

8.2 PERSONAL COMMUNICATIONS

Connell, C. July 2017. Unpublished data. Biologist - New Brunswick Department of Energy and Resource Development.

Macy, Chad. June 2017. Environmental Lead, TransAlta Corporation. Calgary, Alberta.